IN THE CLAIMS

Please amend the claims as follows:

1. (original) A lighting system provided with a light-emitting panel comprising

a front wall, a rear wall situated opposite thereto, and furthermore, between the front and the rear wall, a first edge surface and, opposite thereto, a second edge surface,

the first edge surface being light-transmitting,

while at least a first light source is associated with the first edge surface, and

while, in operation, light originating from the first light source is incident on the first edge surface and distributes itself in the panel,

characterized

in that the light-emitting panel widens over a widening section from the first edge surface in a direction towards the second edge surface, and

in that the rear wall is provided over the widening section with a multiplicity of steps of which a surface facing the front wall is substantially parallel to the front wall.

2. (original) A lighting system as claimed in claim 1, characterized in that the ratio of the surface area S_1 of the first edge surface and the largest cross section S_{lcs} in the lightemitting panel substantially parallel to the first edge surface satisfies the relation:

$$1 < \frac{S_{lcs}}{S_1} < 10.$$

3. (original) A lighting system as claimed in claim 2, characterized in that the ratio $S_{\rm lcs}/S_{\rm l}$ satisfies the relation:

$$1.5 < \frac{S_{lcs}}{S_1} < 3$$
.

- 4. (currently amended) A lighting system as claimed in claim 1—or 2, characterized in that the second edge surface is reflecting with respect to light inside the light-emitting panel.
- 5. (original) A lighting system as claimed in claim 4, characterized in that the surface of the second edge surface is specularly or diffusely reflecting or is provided with a specularly or diffusely reflecting material.
- (original) A lighting system as claimed in claim 1, characterized

in that the second edge surface is light-transmitting, a second light source being associated with the second edge surface,

wherein, in operation, light originating from the second light source is incident on the second edge surface and distributes itself in the panel, and

in that the light-emitting panel widens from the second edge surface in a direction towards the first edge surface.

- 7. (currently amended) A lighting system as claimed in claim 1, 2 or 6, characterized in that a further surface of the steps makes an angle β with respect to a normal on the front wall, wherein $-48 \leq \beta \leq 48^{\circ}$.
- 8. (original) A lighting system as claimed in claim 7, characterized in that the angle β is in the range 0 \leq β \leq 48°.
- 9. (currently amended) A lighting system as claimed in claim 1, 2 or 6, characterized in that the front wall is provided with a translucent diffuser.
- 10. (currently amended) A lighting system as claimed in claim 1 or 2, characterized in that the light-emitting panel comprises

between the widening section and the second edge surface a light guide part providing bi-directional light extraction.

- 11. (original) A lighting system as claimed in claim 10, characterized in that the rear wall of the light-emitting panel at the bi-directional light extracting light guide part is provided with a structure to extract light by disrupting total internal reflection locally.
- 12. (original) A lighting system as claimed in claim 10, characterized in that the structure on the rear wall at the bidirectional light extracting light guide part is formed by a multitude of steps of which a surface facing the front wall is substantially parallel to the front wall.
- 13. (currently amended) A lighting system as claimed in claim 1_7 2 or 6, characterized in that the light source comprises one white LED or at least two light-emitting diodes with different light emission wavelengths.
- 14. (original) A lighting system as claimed in claim 13, characterized in that each of the light-emitting diodes has a luminous flux of at least 5 lm.

- 15. (currently amended) A display device provided with a lighting system as claimed in claim 1, 2 or 6.
- 16. (original) A display device as claimed in claim 13, which display device comprises a liquid crystal display.